

CATALOGUE....

GARY SAFE CO.

BUFFALO, N. Y.

U. S. A.







CONTRACTORS TO  
U. S. GOVERNMENT.

CARY SAFE CO.,


BUFFALO, N. Y.

U. S. A.

250, 252, 254, 256, 258, 260, 262, 264, 266 CHICAGO STREET.

217, 219, 221, 223, 225, 227, 229, 231, 233, } SCOTT STREET.  
235, 237, 239, 241, 243, 245, 247, 249 }





FIRE & BURGLAR PROOF SAFES

CARY SAFE CO.


OFFICE

WILD & CO  
BUFFALO



# SINGLE DOOR "FIRE-PROOF" SAFES.


SHOWING DOOR CLOSED.



DIAGRAMS AND SIZES, PAGES 4 to 13 INCLUSIVE.




No. 2.



Inside Measure, .  $11\frac{1}{2}$  in. high, 8 in. wide, 9 in. deep.  
 Outside Measure, .  $25\frac{1}{2}$  in. high,  $15\frac{1}{2}$  in. wide, 16 in. deep.  
 Approximate Weight, 400 lbs.


No. 4.



Inside Measure, . . 15 in. high, 10 in. wide, 10 in. deep.  
 Outside Measure, . . 33 in. high,  $22\frac{1}{2}$  in. wide, 22 in. deep.  
 Approximate Weight, 925 lbs.




SINGLE DOOR "FIRE-PROOF" SAFES.



STYLE OF Nos. 4, 5 and 6.



No. 5.




Inside Measure, . 17 in. high, 12 in. wide, 11 in. deep.

Outside Measure, . 35½ in. high, 24½ in. wide, 23 in. deep.

Approximate Weight, 1075 lbs.

No. 6.




Inside Measure, . . 19 in. high, 14 in. wide, 11 in. deep.

Outside Measure, . . 39 in. high, 27 in. wide, 23 in. deep.

Approximate Weight, 1250 lbs.




No. 7.



Inside Measure, . . 21 in. high, 16 in. wide, 12 in. deep.  
 Outside Measure, . . 40½ in. high, 28½ in. wide, 24 in. deep.

Approximate Weight, 1400 lbs.

No. 8.




Inside Measure, . . 23 in. high, 17 in. wide, 12 in. deep.  
 Outside Measure, . . 44 in. high, 30 in. wide, 24 in. deep.

Approximate Weight, 1550 lbs.




No. 9.



Inside Measure, . . . 25 in. high, 18 in. wide, 13 in. deep.  
 Outside Measure, . . . 45 in. high, 30½ in. wide, 25 in. deep.

Approximate Weight, 1700 lbs.

No. 10.



Inside Measure, . . . 27 in. high, 19 in. wide, 13 in. deep.  
 Outside Measure, . . . 48 in. high, 32 in. wide, 25 in. deep.

Approximate Weight, 1800 lbs.




SINGLE DOOR "FIRE-PROOF" SAFES.



STYLE OF Nos. 7, 8 and 9.




No. 11.



Inside Measure, . . . 29 in. high, 20 in. wide, 13 in. deep.  
 Outside Measure, . . . 50 in. high, 32 1/2 in. wide, 25 in. deep.  
 Approximate Weight, 1875 lbs.

No. 12.



Inside Measure, . . . 31 in. high, 21 in. wide, 13 in. deep.  
 Outside Measure, . . . 53 in. high, 33 1/2 in. wide, 25 in. deep.  
 Approximate Weight, 2000 lbs.




SINGLE DOOR "FIRE-PROOF" SAFES.




STYLE OF Nos. 10, 11 and 12.



No. 13.



No. 13—JEWELERS.



Inside Measure, . . . . . 33 in. high, 18 in. wide, 13 in. deep.

Outside Measure, . . . . . 55 1/2 in. high, 31 in. wide, 25 in. deep.

Approximate Weight, 1975 lbs.



SINGLE DOOR "FIRE-PROOF" SAFES.



STYLE OF No. 13.



# SINGLE DOOR "FIRE-PROOF" SAFES.

WITH INSIDE DOOR.

Nos. 14 to 22, INCLUSIVE.



INTERIOR ARRANGEMENT SAME AS CORRESPONDING SIZES

(Nos. 5 to 13 INCLUSIVE), PAGES 6 to 13 INCLUSIVE.



# DOUBLE-FOLDING DOOR "FIRE-PROOF" SAFES.

SHOWING ALL DOORS CLOSED.




DIAGRAMS AND SIZES. PAGES 17 to 30 INCLUSIVE.



# DOUBLE-FOLDING DOOR "FIRE-PROOF" SAFES.


OUTSIDE DOORS OPEN. INSIDE DOORS CLOSED.



DIAGRAMS AND SIZES, PAGES 17 TO 30 INCLUSIVE.




No. 23.



Inside Measure, . . . 26 in. high, 23 in. wide, 14 in. deep.  
 Outside Measure, . . . 48 in. high, 35 1/2 in. wide, 28 in. deep.  
 Approximate Weight, 2300 lbs.

No. 24.



Inside Measure, . . . 30 in. high, 24 in. wide, 14 in. deep.  
 Outside Measure, . . . 52 1/2 in. high, 37 in. wide, 28 in. deep.  
 Approximate Weight, 2550 lbs.



# DOUBLE-FOLDING DOOR "FIRE-PROOF" SAFES.


OUTSIDE AND INSIDE DOORS OPEN.



STYLE OF Nos. 23, 24 and 25.



No. 25.




Inside Measure, . . . . . 34 in. high, 27 in. wide, 14 in. deep.  
 Outside Measure, . . . . . 56 in. high, 39 1/2 in. wide, 28 in. deep.

Approximate Weight, 2800 lbs.



No. 26.



Inside Measure, . . . . . 40 in. high, 32 in. wide, 15 in. deep.

Outside Measure, . . . . . 64 1/2 in. high, 46 1/2 in. wide, 29 in. deep.

Approximate Weight, 4000 lbs.



# DOUBLE-FOLDING DOOR "FIRE-PROOF" SAFES.


OUTSIDE AND INSIDE DOORS OPEN.



STYLE OF Nos. 26, 27, 28, 29 and 30.



No. 27.




Inside Measure, . . . . . 45 in. high, 35 in. wide, 16 in. deep.

Outside Measure, . . . . .  $69\frac{1}{2}$  in. high, 49 in. wide, 30 in. deep.

Approximate Weight, 4400 lbs.



No. 28.




Inside Measure, . . . . . 50 in. high, 39 in. wide, 16 in. deep.  
 Outside Measure, . . . . . 78 in. high, 55 in. wide, 31 in. deep.

Approximate Weight, 5400 lbs.



No. 29.



Inside Measure, . . . . . 55 in. high, 45 in. wide, 17 in. deep.  
 Outside Measure, . . . . . 83 in. high, 61 in. wide, 32 in. deep.  
 Approximate Weight, 6300 lbs.







35

21

CASH BOX

6 1/2

3

3

11

19

15 1/2

5 1/2

Detailed description: This is a floor plan of a rectangular room. The overall dimensions are 35 units wide and 21 units deep. The room is divided into several sections. At the top (right side of the image) is a shaded rectangular area labeled 'CASH BOX' with a width of 6 1/2 units. Below this, on the right side, are two small rectangular sections, each 3 units wide. The remaining area on the right is a large rectangle measuring 11 units wide. On the left side, there is a large rectangular area measuring 19 units wide and 15 1/2 units deep. A horizontal line divides this area, with a section of 5 1/2 units at the bottom. There are 'X' marks indicating doors or openings: one on the top wall (right side), one on the bottom wall (left side), and one on the right wall (top section).

Diagram of a room layout. The room is 35 units wide and 21 units high. A shaded rectangular area labeled "CASH BOX" is located in the top right corner, measuring  $5\frac{1}{2}$  units by  $6\frac{1}{2}$  units. The room is divided into three horizontal sections. The top section contains the cash box and two windows, each marked with an 'X'. The middle section contains two windows, each marked with a circle and the number 6, and a central door marked with the number 3. The bottom section is a large open area with a door marked with an 'X' on the right wall. The left wall has a series of tick marks. The bottom wall has a series of tick marks. The right wall has a series of tick marks. The dimensions are: 35 (width), 21 (height), 12  $\frac{1}{4}$  (bottom section width), 23 (middle section width), 6 (window width), 3 (door width), 5  $\frac{1}{2}$  (cash box width), 6  $\frac{1}{2}$  (cash box height).

Approximate Weight, 2700 lbs.



# DOUBLE-FOLDING DOOR "FIRE-PROOF" SAFES.


OUTSIDE AND INSIDE DOORS OPEN.




STYLE OF Nos. 31 and 32.



No. 32.




No. 32.—JEWELERS.




Inside Measure, . . . . . 40 in. high, 24 in. wide, 15 in. deep.  
Outside Measure, . . . . . 62 in. high, 37 in. wide, 29 in. deep  
Approximate Weight, 3100 lbs.



No. 33.



No. 33.—JEWELERS.




Inside Measure, . . . . . 48 in. high, 30 in. wide, 16 in. deep.  
Outside Measure, . . . . . 72 in. high, 44 in. wide, 30 in. deep.

Approximate Weight, 4200 lbs.



# DOUBLE-FOLDING DOOR "FIRE-PROOF" SAFES.

OUTSIDE AND INSIDE DOORS OPEN.



STYLE OF No. 33.

DIAGRAM AND SIZE, PAGE 29.



## NOTE.

---

OUR SAFES EMBODY THE VERY LATEST IMPROVEMENTS; SPECIAL ATTENTION BEING CALLED TO OUR CONTINUOUS DOUBLE INTERLOCKING TONGUE AND GROOVE SYSTEM AND ASBESTOS PACKING. WE MAKE BUT ONE GRADE OF SAFES, THAT OF THE HIGHEST STANDARD.



HIGHEST AWARD  
WORLD'S FAIR.

Posted on: January 17, 2020

Edited by: Brian D. Szafranski  
Elma New York USA

Please do not reprint or republish  
this document for commercial gain.







